



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,735	01/28/2005	Hiroki Ueda	Q85918	8852
23373	7590	05/30/2007		
SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			EXAMINER RIGGS II, LARRY D	
			ART UNIT 1609	PAPER NUMBER
			MAIL DATE 05/30/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/522,735

Applicant(s)

UEDA ET AL.

Examiner

Larry D. Riggs II

Art Unit

1609

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 January 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 15 April 2005.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: ____.

Art Unit: 1609

DETAILED ACTION

Specification

Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and **generally limited to a single paragraph** on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "**means**" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

The abstract should be limited to a single paragraph and phraseology such as "means" should be avoided.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 4-7 are drawn to a process. A statutory process must include a step of a physical transformation, or produce a useful, concrete, and tangible result (State Street Bank & Trust Co. v. Signature Financial Group Inc. CAFC 47 USPQ2d 1596 (1998), AT&T Corp. v. Excel Communications Inc. (CAFC 50 USPQ2d 1447 (1999))). In the instant claims, there is no step of physical transformation, thus the Examiner must determine if the instant claims include a useful, concrete, and tangible result.

Art Unit: 1609

As noted in *State Street Bank & Trust Co. v. Signature Financial Group Inc.* CAFC 47 USPQ2d 1596 (1998) below, the statutory category of the claimed subject matter is not relevant to a determination of whether the claimed subject matter produces a useful, concrete, and tangible result:

The question of whether a claim encompasses statutory subject matter should not focus on *which* of the four categories of subject matter a claim is directed to -- process, machine, manufacture, or composition of matter--but rather on the essential characteristics of the subject matter, in particular, its practical utility. Section 101 specifies that statutory subject matter must also satisfy the other "conditions and requirements" of Title 35, including novelty, nonobviousness, and adequacy of disclosure and notice. See *In re Warmerdam*, 33 F.3d 1354, 1359, 31 USPQ2d 1754, 1757-58 (Fed. Cir. 1994). For purpose of our analysis, as noted above, claim 1 is directed to a machine programmed with the Hub and Spoke software and admittedly produces a "useful, concrete, and tangible result." *Alappat*, 33 F.3d at 1544, 31 USPQ2d at 1557. This renders it statutory subject matter, even if the useful result is expressed in numbers, such as price, profit, percentage, cost, or loss.

In determining if the claimed subject matter produces a useful, concrete, and tangible result, the Examiner must determine each standard individually. For a claim to be "useful," the claim must produce a result that is specific, and substantial. For a claim to be "concrete," the process must have a result that is reproducible. For a claim to be "tangible," the process must produce a real world result. Furthermore, the claim must be limited only to statutory embodiments.

Art Unit: 1609

Claims 4-7 do not produce a tangible result. A tangible result requires that the claim must set forth a practical application to produce a real-world result. This rejection could be overcome by amendment of the claims to recite that a result of the method is outputted to a display or a memory or another computer on a network, or to a user, or by including a physical transformation.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 1609

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brigham and Women's Hospital (WO 90/15639, IDS) in view of Wu et al. (US 2003/0180947 A1).

Claims 1-8 describe an apparatus and method for determining an internal biological clock of an individual by:

- a) inputting a gene product quantity data from a specimen of an individual
- b) quantitating a circadian oscillatory gene product over a time,
- c) expressing the circadian oscillatory gene quantitation as a curve,
- d) recording a maximum, average and standard deviation of the curve,
- e) determining a circadian rhythm disorder or an internal biological time of the individual, by comparing the gene product data and the generated curve.

Brigham and Women's Hospital describes a method for assessing and modifying the phase and amplitude of the endogenous circadian pacemaker. Brigham and Women's Hospital teaches that sleep-related and affective disorders are thought to be related to a misalignment between the internal circadian cycle and the external activity-rest cycle, (see page 5, line 28 – page 6, line 12). Brigham and Women's Hospital teaches that to design a phase adjusting schedule, one must have knowledge of the initial circadian phase of the person to be treated, which can be obtained by inferring phase based on comparisons made to the body of normative phase data, such as

Art Unit: 1609

human growth hormone or serum cortisol, (see page 61, lines 7-14, figures 3 and 4).

Brigham and Women's Hospital teaches the use of a computer apparatus and computer program with an input means for inputting pre-stimulus timing data; assessing means for receiving the pre-stimulus timing data and for assessing characteristics of the subject's circadian cycle; modeling means, connected to said assessing means, for computing substantially optimum duration and application times of the bright light pulses and dark pulses and an output means, (see page 15, lines 3-15; page 123, lines 1-2).

Brigham and Women's Hospital differs from claims 1-8 because the reference utilizes normative phase data, such as human growth hormone or serum cortisol, (see page 62, lines 7-14, figures 3 and 4). Brigham and Women's Hospital did not teach utilizing circadian oscillatory gene output as a form of normative phase data to assess an individual's circadian phase or providing a maximum, average and standard deviation of the normative phase data over a cycle, (see figures 3 and 4).

Wu et al. describe a method for controlling bone marrow cell development by identifying molecular control mechanisms and manipulating the expression of clock controlled genes, (see page 2, paragraphs 10, 13 and 14). Wu et al. teaches the quantitation and curve expression of circadian oscillatory gene output, mPer1 and mPer2, over time, with the maximum, mean and standard deviation calculated, (see page 2, paragraphs 15-17, figures 1-3).

Brigham and Women's Hospital emphasizes that normative phase data would be considered any data related to circadian phase in the literature in general, (see page 61, lines 10-14). One would be motivated to consider the circadian oscillatory gene output

Art Unit: 1609

data and the curve expression provided by Wu et al. as normative phase data. The benefit of utilizing the oscillatory gene output is that oscillatory data would give another reference parameter on which to accurately determine an individual's internal biological clock.

Therefore it would have been obvious to modify Brigham and Women's Hospital by using the circadian oscillatory gene output data and the curve expression as normative phase data in assessing an individual's endogenous circadian cycle (internal biological clock).

Conclusion

No claim allowed.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Larry D. Riggs II whose telephone number is 571-270-3062. The examiner can normally be reached on Monday-Thursday, 7:30AM-5:00PM, ALT. Friday, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mary Mosher can be reached on 571-272-0906. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1609

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Larry D. Riggs II


MARY MOSHER
SUPERVISORY PATENT EXAMINER

5-24-07